

Misc All

Tool Steel Rd. Bar	Spec	Size
W-1 Drill Rd. Bar	AISI-W-1	0.75"dia X 35.375"
W-1 Drill Rd. Bar	QQ-T-580 REV C	.250"DIA x 72"
W-1 Drill Rd. Bar	QQ-T-580 REV C	.250"DIA x 60.750"
01 Drill Rod	ASTM-A-681-08	.3480"Dia X 24"
A2 Drill Rd Bar	A681-08 / QQ-T-570 Rev.C	1.00"Dia X 23.75

Tool Steel A-10 Deluxe	Spec	Size
------------------------	------	------

A-10 Deluxe Plate	ASTM-A388-10	05" X 5.25" X 5.25"
-------------------	--------------	---------------------

M42 Cobalt	Spec	Size
------------	------	------

M42 Colbolt Bar	ASTM A600	.250" dia x 51"
M42 Cobalt Bar	ASTM A600	.250" dia x 67.25

Hiperco Alloy	Spec	Size
---------------	------	------

Hiperco Alloy 50-A Rd. Bar Type 1 H.R. Unannealed	ASTM-A801-09	0.510"dia X 18.75"
---	--------------	--------------------

Maraging / Vascomax Rect Bar	Spec	Size
------------------------------	------	------

Maraging C-250 Rect Bar cut from 6"x 7" rect bar	AMS-6512C	.8125" X 4" X 21.375"
--	-----------	-----------------------

Maraging/Vascomax Rd. Bar	Spec	Size
----------------------------------	-------------	-------------

Vascomax Maragung C-300 Rd. Bar	AMS-6514, MIL-S-46850	1.5"Dia X 9"
---------------------------------	-----------------------	--------------

Nimark Maragung 300 Ann. Hi Temp	AMS-6514, MIL-S-46850	2' Dia X 21
----------------------------------	-----------------------	-------------

Nimark Maragung 300 Ann. Hi Temp	AMS-6514, MIL-S-46850	2' Dia X 16
----------------------------------	-----------------------	-------------

Nimark Maragung 300 Ann. Hi Temp	AMS-6514, MIL-S-46850	2.25" Dia X 6"
----------------------------------	-----------------------	----------------

Molybdenum Sheet	Spec	Size
-------------------------	-------------	-------------

361 Molybdenum Sheet	ASTM-B-386 Type 361	.125" X 5" X 5"
----------------------	---------------------	-----------------

Molybdenum Bar	Spec	Size
-----------------------	-------------	-------------

Molybdenum 361 Rd. Bar	ASTM-B-387 Type 361	.500"Dia X 11.25
------------------------	---------------------	------------------

Molybdenum 364 Rd. Bar (Stress Relieved)	ASTM-B-387 Type 364	5.25"Dia X 1.625"
--	---------------------	-------------------

Molybdenum 80 HYMU Rd. Bar	ASTM-A753	1"Dia X 22.250"
----------------------------	-----------	-----------------

Molybdenum Plate	Spec	Size
-------------------------	-------------	-------------

361-SR Molybdenum Plate	ASTM-B386	.375" X 3.250" X 6"
-------------------------	-----------	---------------------

Tungsten Rd. Bar	Spec	Size
-------------------------	-------------	-------------

CW CU Tungsten 75/25 Copper Rd. Bar

ASTM-B-702-93

.500"Dia X 12"

MP35N Rd. Bar	Spec	Size
---------------	------	------

MP35N Rd. Bar

AMS-5844H

1.279"Dia X 9"

Stainless Cable Composition	Spec	Size
-----------------------------	------	------

Stainless Cable Composition

Mil-DTL-83420M Type 2 Jacketed Wire Rope

.064" DIA X 33"

Stainless Cable Composition -1/16 x 7 x 19 9 3/32)

Mil-DTL-83420M Type 2 Jacketed Wire Rope

.062" DIA X 396"

Chrome Core 189-FM	Size
--------------------	------

Chrome core 18-FM Ann. Soleniod Quality Rd. Bar

/

1.500"dia X 105

Tantalum Strip / Sheet	Spec	Size
------------------------	------	------

Tantalum Sheet Ann.

R05255

ASTM-B708

.005" x 6" x 12"

Tantalum Strip

ASTM-B708

.010" X .900" X 11" 1pc at 17"

Tantalum Strip

ASTM-B708

.010" X .900" X 53.5"

Tantalum Strip

ASTM-B708

.010" X .900" X 60"

Tantalum Strip R05400 Annld.

ASTM-B708

.010" X .900" X 108"

Tantalum Strip R05400 Annld.

ASTM-B708

.010" X .900" X 108"

Tantalum Strip (size .314") (R05400)

ASTM-B708

.015" X .325" X 34"

Tantalum Strip	(size .314") (RO5400)	ASTM-B708	.015" X .325" X 17.5"
Tantalum Strip	(size .314") (RO5400)	ASTM-B708	.015" X .325" X 72"

TANTALUM ROUND BAR		Spec	Size
--------------------	--	------	------

Tantalum Rd. Bar		ASTM B 365	.750" Dia X 12"
Tantalum Rd. Bar		ASTM B 365	.750" Dia X 9"

Rene 41		Spec	Size
---------	--	------	------

Rene 41 Rd Bar	ANN	AMS-5712 CAP AMS-5713	.512 DIA X 10-3/4" LONG
----------------	-----	-----------------------	-------------------------

Lead		Spec	Size
------	--	------	------

Lead Sheet	Grade C	QQ-L-201F	.063" x 12" x 12"
------------	---------	-----------	-------------------

Lead Sheet	Grade C	QQ-L-201F	.1875" 11.875" X 12"
------------	---------	-----------	----------------------

6% Antimonial Lead			1" x 1.1.875" x 7"
--------------------	--	--	--------------------

6% Antimonial Lead			1" x 1.23" x 7"
--------------------	--	--	-----------------

99% Lead Plate	Grade C	QQ-L-201F	1" X 14" X 14"
----------------	---------	-----------	----------------

CLIPS		Spec	Size
-------	--	------	------

CLIP	RM81	?	RM 8 Clip Rohs
------	------	---	----------------

CLIP	RM101	?	RM 10 Clip Rohs
------	-------	---	-----------------

VACOFLUX	Spec	Size
-----------------	-------------	-------------

VACOFLUX 9CR RD BAR		1"DIA X 116"
---------------------	--	--------------

Hy Mu 80 Metal	Spec	Size
-----------------------	-------------	-------------

Low Carbon Magnetic Iron Rod	Spec	Size
-------------------------------------	-------------	-------------

Electric Iron Rd.	ASTM-A848	3" X 4.5
-------------------	-----------	----------

Aermet 100	Spec	Size
-------------------	-------------	-------------

Aermet 100 Rd. Bar	AMS-6532D	.760" Dia X 6"
--------------------	-----------	----------------

Aermet 100 Rd. Bar	AMS-6532E	2.00"Dia X 6"
--------------------	-----------	---------------

INVAR	Spec	Size
--------------	-------------	-------------

Invar 36 Rd. Bar	ASTM-F-1684-06	1" Dia X 11.9375
------------------	----------------	------------------

Toughmet	Spec	Size
-----------------	-------------	-------------

Toughmet 3	AMS 4597	.750" dia x 72"
------------	----------	-----------------

Electrical Wire	Spec	Size
------------------------	-------------	-------------

Standard Electrical Wire	M22759-34-20-6	20 AWG Blue 1 pc= 4700"
--------------------------	----------------	-------------------------

