

## Misc All

Tool Steel Rd. Bar	Spec	Size
A-2 Steel Drill Rd. Bar - <b>Ukraine / COC Only</b>	ASTM-A681-08	.750" dia x 72" R/L
A-2 Steel Drill Rd. Bar - <b>Ukraine / COC Only</b>	ASTM-A681-08	.750" dia x 57"
W-1 Drill Rd. Bar	AISI-W-1	0.75"dia X 35.375"
W-1 Drill Rd. Bar	QQ-T-580 REV C	.250"DIA x 72"
W-1 Drill Rd. Bar	QQ-T-580 REV C	.250"DIA x 60.750"
M42 Cobalt	Spec	Size
M42 Colbolt Bar	ASTM A600	.250" dia x 51"
Hiperco Alloy	Spec	Size
Hiperco Alloy 50-A Rd. Bar Type 1 H.R. Unannealed	ASTM-A801-09	0.510"dia X 18.75"
Maraging / Vascomax Rect Bar	Spec	Size
Maraging C-250 Rect Bar cut from 6"x 7" rect bar	AMS-6512C	.8125" X 4" X 21.375"
Maraging/Vascomax Rd. Bar	Spec	Size
Vascomax Maragung C-300 Rd. Bar	AMS-6514, MIL-S-46850	1.5"Dia X 9"

Nimark Maragung 300 Ann. Hi Temp	AMS-6514, MIL-S-46850	2' 'Dia X 21
Nimark Maragung 300 Ann. Hi Temp	AMS-6514, MIL-S-46850	2' 'Dia X 16
Nimark Maragung 300 Ann. Hi Temp	AMS-6514, MIL-S-46850	2.25" Dia X 6"

Molybdenum Bar	Spec	Size
----------------	------	------

Molybdenum 361 Rd. Bar	ASTM-B-387 Type 361	.500"Dia X 11.25
------------------------	---------------------	------------------

Tungsten Rd. Bar	Spec	Size
------------------	------	------

CW CU Tungsten 75/25 Copper Rd. Bar	ASTM-B-702-93	.500"Dia X 12"
-------------------------------------	---------------	----------------

MP35N Rd. Bar	Spec	Size
---------------	------	------

MP35N Rd. Bar	AMS-5844H	1.279"Dia X 9"
---------------	-----------	----------------

MP35N RD BAR	AMS-5844J	1.022"DIA X 30.750
--------------	-----------	--------------------

Stainless Cable Composition	Spec	Size
-----------------------------	------	------

Stainless Cable Composition	Mil-DTL-83420M Type 2 Jacketed Wire Rope	.064" DIA X 33"
Stainless Cable Composition -1/16 x 7 x 19 9 3/32)	Mil-DTL-83420M Type 2 Jacketed Wire Rope	.062" DIA X 276"

Tantalum Strip / Sheet	Spec	Size
------------------------	------	------

Tantalum Strip	ASTM-B708	.010" X .900" X 11"	1pc at 17"
----------------	-----------	---------------------	------------

<b>TANTALUM ROUND BAR</b>	<b>Spec</b>	<b>Size</b>
---------------------------	-------------	-------------

Tantalum Rd. Bar	ASTM B 365	.750" Dia X 9"
------------------	------------	----------------

<b>RENE 41</b>	<b>Spec</b>	<b>Size</b>
----------------	-------------	-------------

RENE 41 RD BAR ANN TY-1	AMS-5712K	3.250"DIA X 5
RENE 41 RD BAR ANN TY-1	AMS-5712K	3.250"DIA X 5.5
RENE 41 RD BAR ANN TY-1	AMS-5712K	3.250"DIA X 8

<b>Lead</b>	<b>Spec</b>	<b>Size</b>
-------------	-------------	-------------

Lead Sheet Grade C	QQ-L-201F	.063" x 12" x 12"
--------------------	-----------	-------------------

Lead Sheet Grade C	QQ-L-201F	.1875" 11.875" X 12"
--------------------	-----------	----------------------

99% Lead Plate Grade C	QQ-L-201F	1" X 14" X 14"
------------------------	-----------	----------------

<b>CLIPS</b>	<b>Spec</b>	<b>Size</b>
--------------	-------------	-------------

CLIP RM81	?	RM 8 Clip Rohs
CLIP RM101	?	RM 10 Clip Rohs

<b>VACOFLUX</b>	<b>Spec</b>	<b>Size</b>
-----------------	-------------	-------------

VACOFLUX 9CR RD BAR		1"DIA X 116"
---------------------	--	--------------

INVAR	Spec	Size
-------	------	------

Invar 36 Rd. Bar	ASTM-F-1684-06	1" Dia X 11.9375
------------------	----------------	------------------

Electrical Wire	Spec	Size
-----------------	------	------

Standard Electrical Wire	M22759-34-20-6	20 AWG Blue 1 pc= 4700"
--------------------------	----------------	-------------------------

TUNGSTEN	Spec	Size
----------	------	------

TUNGSTEN RD BAR	ASTM-E112	.5" DIA X 3.750"
-----------------	-----------	------------------

TUNGSTEN RD BAR	ASTM-E112	.5" DIA X 6"
-----------------	-----------	--------------

ALUMINUM SHEET PHOTOSENSITIVE	Spec	Size
-------------------------------	------	------

ALUMINUM SHEET PHOTOSENSITIVE <b>*Do Not Open Box *</b>	Temper H19	.003" x 10" x 12"
---	------------	-------------------

ALUMINUM SHEET PHOTOSENSITIVE	SAE-AMS-QQ-A-250/1	.020" X 10" X 12"
-------------------------------	--------------------	-------------------

Ablative Cork
---------------