

Plastic All

FEP Teflon Film

Epoxy Glass

| | | | |
|------------------------------------|---------------|---------------------------|---------------------------|
| Insulation Gee Type 1V Gd. G10 | M24768/2-S-13 | ASTM-D709 | .25" X 5.75" X 12" |
| NP500A Gee Fiberglass | | MIL-I-24768/2 | .75" X 11.5" X 12" |
| NP500A GEE NEMA G-10 Type IV Grade | | MIL-I-24768/2 / ASTM-D709 | .100" X 12" X 24" |
| NP500A GEE Sheet | TRS .093"Thk | MIL-I-24768/2 | .075" X 12" X 10" |
| G10 Plate Glass Cloth NP500A | | MIL-1-24768/2 | .375" X 8.625" X 12" |
| G10 Plate NP500A | | ASTM-D709 | 1" X 36" X 36" |
| NP500A Gee Fiberglass | | MIL-I-24768/2 | 1.25" X 11" X 12" |
| G10 Plate NP500A | | MIL-1-24768/2 | 1.25" X 11.9375" X 12.25" |

Natural Canvas Sheet Lam Phenolic

| | | | |
|-----------------------------------|--|---|-------------------------|
| Natural Canvas Sheet Lam Phenolic | | MIL-I-24768/14 TY FBG ASTM-D709 TY II GR CE | .125" X 12.75" X 12.75" |
| Natural Canvas Sheet Lam Phenolic | | MIL-I-24768/14 TY FBG | .125" X 12.75" X 12.75" |

| | | |
|-------------------------------------|-------------|------------------|
| Natural ABS Plastic Group 2 Grate 2 | ASTM-D-4673 | 3" X 7" X 11" |
| Natural ABS Plastic Group 2 Grate 2 | ASTM-D-4673 | 3" X 7" X 12.75" |

| | | |
|----------------------------------|------------|-----------------------|
| Neopreme rubber OIL Resistant | ? | .090" x 11.375" x 13" |
| Neopreme R-411N Adesiveon 1-side | ASTM-D1056 | .1875" X 2" X 48" |
| Neopreme GR-70 | ? | .3125" X .990" X 3" |

Ultem Sheet / Plate

| | | |
|----------------------------|--------------------------------------|-----------------------|
| Polycarbonate sheet | | .032" x 4.6" x 30.25" |
| Ultem 2300 Plate GF30 | ASTM-D-5205 / MIL-P-46184 TY II, CL3 | .25" X 6.5" X 12.5" |
| Ultem 2300 Plate GF30 | ASTM-D-5205 / MIL-P-46184 TY II, CL3 | 1.00" x 2.875" x 12" |
| Ultem 2300 Plate GF30 | ASTM-D-5205 / MIL-P-46184 TY II, CL3 | 1.00" x 4.50" x 5.50" |
| Ultem 2300 Plate GF30 | ASTM-D-5205 / MIL-P-46184 TY II, CL3 | 1.00" x 3.50" x 3.75" |
| Ultem 2300 Plate GF30 | ASTM-D-5205 | .5" X 8" X 9.875" |

| | | |
|--------------------------------------|-------------------|-------------------------|
| Ultem 2300 Plate GF30 | ASTM-D-5205 | .5" X 8.625" X 17.9375" |
| Ultem 2400, 40 % Glass Filled | ASTM -D -5205 | .250" X 12" X 6.5" |
| Ultem 2400, 40 % Glass Filled | ASTM -D -5205 | .750" x 12" x 10.00 |
| Ultem 2400-1 plastic | MIL-I-45208A Am-2 | 1" x 7.625" x 12.125 |
| Ultem PEI 2400-1000 40% Glass-Filled | ASTM-D-5205-10 | 1" X 7.5" X 7.5" |

Ultem Rd Bar

| | | |
|---|--|---------------------------|
| Ultem 1000 Rd Bar | ASTM-D-7293 | .500"Dia X 23.75 |
| Ultem 1000 Rd Bar | ASTM D 5205 | .500" dia x 60" |
| Natural Ultem 1000 Rd Bar | ASTM-D-5205 PE10113 | 1.00"Dia X 19.25 |
| Natural Ultem 2300 30 % Glass Filled | ASTM D 5205-16 / ASTM D 7293-12 | .375" dia x 60.25" |
| Natural Ultem 2300 30 % Glass Filled | ASTM D 5205-16 / ASTM D 7293-12 | .375" dia x 48.75" |

| | | |
|---------------------------|-------------|-----------------|
| Nylon Rd. Plastic Natural | ASTM-D-4066 | .062"DIA X 689" |
|---------------------------|-------------|-----------------|

| | | |
|---|--------------------|-------------------------|
| Natural Nylon L-P-410 6/6 | ASTM-D46195 01A | .500"Dia X 40" |
| Nylon Rd.Plastic Natural 6/6 GF 30% | ASTM-D4066-01A | 1.00" Dia X 48" |
| Nylon Rd.Plastic Natural 6/6 GF 30% | ASTM-D4066-01A | 1.00" Dia X 12.75" |
| Nylon Rd.Plastic Natural 6/6 GF 30% | ASTM D 6679 | 1.125" dia x 72" |
| Nylon Rd.Plastic Natural 6/6 GF 30% | ASTM D 6679 | 1.375" dia x 36" |
| Nylon 101 Type 66 LP410A Polyhexamethylene A. | ASTM-D-4066-13 | 1.375" Dia X 27" |

| | | |
|---|--------------------------|---------------------|
| Duratron Torlon 4301 PAI Rd Bar (Plastic | ASTM-D-5204 / AMS-3670/3 | 1.25" X 5.875" |
| Duratron T4301 PAI Rd Bar | ASTM-D-638 | 2.00"Dia X 7.5" |
| Torlon 4301 PAI Rd Bar (Plastic | AMS-3670/3 | 2" Dia X 8" |
| Torlon / Duratron 4301 PAI Rd Bar (Plastic | AMS-3670/3 | 2.5" Dia X 9.875" |
| Torlon 4301 PAI Rd Bar (Plastic | AMS-3670/3 | 2.5" Dia X 11.25" |
| Torlon 4301 Rd Bar (Plastic | AMS-3670/3 | 2.5" Dia X 11.1875" |

| | | |
|------------------------------|-------------|-------------------|
| Delrin 507 POM 132 BLK Plate | ASTM-D-4181 | .250" x 12" x 12" |
|------------------------------|-------------|-------------------|

| | | |
|---|------------|---------------------|
| Dupont Delrin Pom0111 Plate color Natural | ASTM-D6778 | .625" X 3.75" X 12" |
|---|------------|---------------------|

| | | |
|-----------------------|-------------|----------------------|
| POM 211 Plastic block | ASTM-D-4181 | 2.5" x 3.912" x 7.25 |
|-----------------------|-------------|----------------------|

| | | |
|------------------------------------|--|----------------------------------|
| Natural Delrin Homopolymer Rd. Bar | ASTM-D-6100 S-POMO111 TY-1 Class-1 Grade-1 | 1"Dia X 60" |
| Natural Delrin Homopolymer Rd. Bar | ASTM-D-6100 S-POMO111 TY-1 Class-1 Grade-1 | 1"Dia X 55.75" |
| Natural Delrin Homopolymer Rd. Bar | ASTM-D-6100 S-POMO111 TY-1 Class-1 Grade-1 | .375" dia x 60-61" - 1 @ 33.875" |
| Natural Delrin Homopolymer Rd. Bar | ASTM-D-6100 S-POMO111 TY-1 Class-1 Grade-1 | .375" dia 33.875" |

| | | |
|------------------------|-------------|-----------------|
| 30% gf U2 tam 2300 Rod | ASTM-D-5205 | .500" DIA X 42" |
|------------------------|-------------|-----------------|

| | | |
|------------------------|-------------|-------------------|
| 30% gf U2 tam 2300 Rod | ASTM-D-5205 | .500" DIA X 18.50 |
|------------------------|-------------|-------------------|

| | | |
|-------------------------------------|-------------|--------------------|
| Ultem 2300,30% Glass Filled Rd. Bar | ASTM-D-5205 | 1.75" Dia X 7.625" |
|-------------------------------------|-------------|--------------------|

| | | |
|------------------------|-------------|-------------------|
| 30% gf U2 tam 2300 Rod | ASTM-D-5205 | 2.00" dia x 41.50 |
|------------------------|-------------|-------------------|

| | | |
|--------------------------|-------------|--------------------|
| Black Delrin Rd. Bar 507 | ASTM-D-4181 | .250"dia x 22.750" |
|--------------------------|-------------|--------------------|

| | | |
|------------------------------|---------------------|-------------------------|
| Black Delrin Rd. Bar 507 | ASTM-D-4181 | .5" dia x 24.250 |
| Black Delrin Rd. Bar | ASTM-D-4181 | .625" dia x 36.75" |
| Black Delrin Rd. Bar | ASTM-D-4181 | .750" dia. x 24" |
| Acetal Rod Black Delrin | ASTM-D-4181 | 3/4" x 36.625" |
| Acetal Rod Black Delrin | ASTM-507 | 1" dia. x 36" @ 12 3/8" |
| Black Delrin Rd. Bar 507 | ASTM-D-4181 | 1.25" dia x 48' |
| Vespel-SP-1 | | 1" dia x 22" |
| Vespel-SP-1 Rod Bar | ASTM-D-6456-99 TY-1 | 1" dia x 6.875" |
| Vespel-SP-1 Rod Bar | ASTM-D-6456-99 TY-1 | 1"Dia X 18.75" |
| Vespel-SP-1 Rod Bar | ASTM-D-6456-99 TY-1 | 1"Dia X 14.75" |
| Vespel-SP-1 Rod Bar | ASTM-D-6456-99 TY-1 | 1.25" dia x 25.625" |
| Vespel SP-3 TY-3 | ASTM-D-6456-99 | .500"Dia X 8.875" |
| Vespel SP-3 Rod. Bar | ASTM-D-6456-99 TY-3 | 2"Dia X 7.5" |
| SP-22 Vespel Rod | ASTM-D-6456-99 | 1.5" dia x 7.25 |
| 6/12 Natural L-P-410 Rd. Bar | ASTM-D6779-11 | .500"Dia X 40.75" |
| G-10/FR-4 RD BAR | MIL-I-24768/2 | .500"DIA X 25.5 |
| G-10/FR-4 RD BAR | ASTM-D-709 | 1.25" Dia X 36" |

| | | |
|--|---------------------------|--------------------|
| PTFE Molded Sheet, Ty 2, GD 1, CL B Natural | ASTM D 3294 | .750" x 2" x 6" |
| PTFE Molded Sheet, Ty 1, GD 1, CL A Natural | ASTM D 1710-08 | .250" dia x 72" |
| PTFE Molded Sheet, Ty 1, GD 1, CL A Natural | ASTM D 1710-08 | .250" dia x 60" |
| PTFE Plis P105-E Type 1 Grade 1 Class A Rd Bar | ASTM-D1710-08 / AMS-3656H | .375" Dia X 72" |
| PTFE Plis P105-E Type 1 Grade 1 Class A white Rd Bar | ASTM-D1710-08 | .750" Dia X 48" |
| PTFE Plis P105-E Type 1 Grade 1 Class A white Rd Bar | ASTM-D1710-08 | .750" Dia X 12" |
| PTFE Plis P105-E Type 1 Grade 1 Class A Natural | ASTM-D-1710-08 | .375" dia x 34 |
| PTFE Plis P105-E Type 1 Grade 1 Class A Natural | ASTM-D-1710-08 | .625" dia x 39.25 |
| | | |
| PTFE Gr-2 Cl A Ext bar | ASTM-D-1710 | 1.75" dia x 21.75" |

| | | |
|--|----------------------------|------------------|
|  | | |
| Polyamide Rod | | .050" dia x 96" |
| Polyamide Rod | / | .187" dia x 96" |
| Black Polypropylene Rd Bar. | ASTM-D4101 Group 1 Class 1 | .625" Dia X 60.5 |

Misc

| | | |
|------------------------|----------------|--------------------------------------|
| Nalgene 890 Fep Tubing | 890 Fep Tubing | .125"Id X .1875"od X .03125"W X 144" |
|------------------------|----------------|--------------------------------------|

Nalgene 890 Fep Tubing

890 Fep Tubing

.125"Id X .1875"od X .03125"W X 300"

Teflon Tube

AMS-3653

.250"od x .02"w x 200ft

FR 4 Copper Coated Circuits - Type 45N - AS8251-L08

IPC-4101E/24/26

.098 x 18" x 24"

