

Laminated All

| 1100-H19 - TY 1- CL 1 | | Thk | Width | Length |
|--------------------------------|----------------|----------------------------------|-------|---------|
| 1100-H19 Laminated Sheet (PVC) | | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 7 |
| 1100-H19 Laminated Sheet (PVC) | | AMS-DTL-22499/A | 0.032 | 12 |
| 1100-H19 Laminated Sheet | | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.048 | 11.875 |
| 1100-H19 Laminated Sheet | | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.048 | 24 |
| 1100-H19 Laminated Sheet (PVC) | | AMS-DTL-22499 Comp 1, TY 1, CL 1 | 0.063 | 12 |
| 1100-H19 Laminated Sheet (PVC) | Full Laminated | AMS-DTL-22499 rev A | 0.062 | 17 |
| 1100-H19 Laminated Sheet (PVC) | Full Laminated | AMS-DTL-22499 Comp 1, TY 1, CL 1 | 0.062 | 24 |
| 1100-H19 Laminated Sheet (PVC) | Full Laminated | AMS-DTL-22499 Comp 1, TY 1, CL 1 | 0.062 | 24 |
| 1100-H19 Laminated Sheet | | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.078 | 11.9375 |
| 1100-H19 Laminated Sheet (PVC) | | MIL-S-22499C Comp-1 Ty-1 CL-1 | 0.094 | 21 |
| 1100-H19 Laminated Sheet PVC | | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.125 | 24 |
| 1100-H19 Laminated Sheet PVC | | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.125 | 24 |
| 1100-H19 Laminated Sheet PVC | | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.125 | 24 |

| | | | |
|---|--------------------------------|-------|-------|
| 1100-H19 Laminated Sheet (PVC) CERT ONLY | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.187 | 23 |
| 1100-H19 Laminated Sheet (PVC) CERT ONLY | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.187 | 12 |
| 1100-H19 Laminated Sheet Finish 2SB PVC | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.187 | 24 |
| 1100-H19 Laminated Sheet | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.19 | 16.25 |
| 1100-H19 Laminated Sheet (PVC) | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.19 | 15.75 |
| 1100-H19 Laminated Sheet | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.3 | 11.25 |
| 1100-H19 Laminated Shim PVC | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.05 | 24 |
| 1100-H19 Laminated Shim PVC | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.05 | 24 |
| 1100-H19 Laminated Shim Comp 1- Ty 1 - CL 1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.09 | 24 |

| 1100-H19 - TY 1- CL 2 | | Thk | Width | Length |
|------------------------------|--|------------|--------------|---------------|
|------------------------------|--|------------|--------------|---------------|

| | | | | |
|---------------------------------|------------------------|---------------------------------------|--------------|--------------|
| 1100-H19 Laminated Sheet | Fully Laminated | AMS-DTL-22499 Comp-1 Ty-1 CL-2 | 0.015 | 24 |
| 1100-H19 Laminated Sheet | Fully Laminated | AMS-DTL-22499 Comp-1 Ty-1 CL-2 | 0.015 | 24 |
| 1100-H19 Laminated Sheet | Fully Laminated | AMS-DTL-22499 Comp-1 Ty-1 CL-2 | 0.015 | 42 |
| 1100-H19 Laminated Sheet | Fully Laminated | AMS-DTL-22499 Comp-1 Ty-1 CL-2 | 0.015 | 5.625 |
| 1100-H19 Laminated Sheet | Fully Laminated | AMS-DTL-22499 Comp-1 Ty-1 CL-2 | 0.015 | 23.78 |

| | | | | |
|--|---------------|---------------------------------|-------|--------|
| 1100-H19 Laminated Sheet | | AMS-DTL-22499 Comp-1 Ty-1 CL-2 | 0.094 | 24 |
| 1100-H19 Laminated Sheet | | AMS-DTL-22499 Comp-1 Ty-1 CL-2 | 0.094 | 24 |
| 1100-H19 Laminated Sheet | | AMS-4013 AMS-DTL-22499 | 0.094 | 24 |
| 1100-H19 Laminated Sheet | Insp. B4 Sale | AMS-DTL-22499 Comp-1 Ty-1 CL-2 | 0.094 | 24 |
| 1100-H19 Laminated Sheet | | AMS-DTL-22499 Comp-1 Ty-1 CL-2 | 0.094 | 23.75 |
| 1100-H19 Laminated Sheet | | AMS-DTL-22499-Rev -A | 0.094 | 24 |
| 1100-H19 Laminated Sheet | | AMS-DTL-22499 Comp-1 Ty-1 CL-2 | 0.156 | 24 |
| 1100-H19 Laminated Sheet (PVC) | | AMS-DTL-22499 Comp-1 Ty-1 CL-2 | 0.19 | 11.875 |
| 1100-H19 Laminated Sheet | Half Solid | AMS-DTL-22499 Comp-1 Ty-2 CL-2 | 0.032 | 24 |
| 1100-H19 Laminated Sheet | Half Solid | AMS-DTL-22499 Comp-1 Ty-2 CL-2 | 0.065 | 24 |
| 1100-H19 Laminated Sheet PVC Test pc cut 3.5" x 6.5" | | MIL-S-22499B Comp-1 Ty-1 CL-2 | 0.125 | 24 |
| 1100-H19 Laminated Sheet | | AMS-DTL-22499 Comp-1 Ty-2 CL-2 | 0.125 | 24 |
| 1100-H19 Laminated Sheet | | AMS-DTL-22499 Comp-1 Ty-2 CL-2 | 0.125 | 24 |
| 1100-H19 Laminated Sheet | | AMS-DTL-22499 Comp-1 Ty-2 CL-2 | 0.125 | 24 |
| 1100-H19 Laminated Sheet | | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.032 | 24 |

| | | | |
|--------------------------|---------------------------------|-------|----|
| 1100-H19 Laminated Sheet | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.062 | 24 |
| 1100-H19 Laminated Sheet | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.062 | 24 |
| 1100-H19 Laminated Sheet | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.65 | 24 |
| 1100-H19 Laminated Sheet | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.093 | 24 |
| 1100-H19 Laminated Sheet | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.12 | 24 |

| | | | |
|--------------------------|------------|--------------|---------------|
| 5052 - TY 1- CL 1 | Thk | Width | Length |
|--------------------------|------------|--------------|---------------|

| | | | |
|-----------------------------------|--------------------------------|-------------|----|
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499 | 0.032 | 12 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499 | 0.032 | 12 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 24 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 24 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 24 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499/1A | 0.25 | 24 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499/1A | 0.062 | 24 |

| | | | |
|----------------------------|------------|--------------|---------------|
| 5052 -H39 TY1, CL 2 | Thk | Width | Length |
|----------------------------|------------|--------------|---------------|

| | | | |
|---|------------------------------------|--------------|-----------|
| 5052-H39 Laminated shim Comp 1 DTY-1 Class 2 | AMS-DTL-22499/A | 0.015 | 24 |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2 | AMS-DTL-22499/1A | 0.015 | 5 |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2 | AMS-DTL-22499 minor dents all shts | 0.015 | 48 |
| 5052-H39 Laminated shim Comp 1 DTY-1 Class 2 | AMS-DTL-22499/A | 0.015 | 24 |
| 5052-H39 Laminated shim Comp 1 DTY-1 Class 2 | AMS-DTL-22499/A | 0.015 | 24 |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2 | AMS-DTL-22499 | 0.021 | 19.875 |
| 5052-H19 Laminated Sheet Comp 1 TY-1 Class 2 | AMS-DTL-22499 | 0.032 | 24 |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2 | AMS-DTL-22499 | 0.062 | 24 |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2 Consigmer | AMS-DTL-22499 | 0.125 | 12.625 |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2 | AMS-DTL-22499 | 0.125 | 11.75 |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2 | AMS-DTL-22499 | 0.125 | 22.75 |

| 5052 - TY1, CL 1 | Thk | Width | Length |
|------------------|-----|-------|--------|
|------------------|-----|-------|--------|

| | | | |
|---|---------------|-------|----|
| 5052-H39 Laminated shim Comp 1 TY-1 Class 1 | AMS-DTL-22499 | 0.063 | 24 |
|---|---------------|-------|----|

| 5052 Washers | Thk | Width | Length |
|--------------|-----|-------|--------|
|--------------|-----|-------|--------|

| | | | |
|-------------------------------------|--------------------------------|-------|---------|
| 5052-H19 Washers Comp 1 Type 1 CL-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 0.75"Od |
|-------------------------------------|--------------------------------|-------|---------|

| | | | |
|-------------------------------------|--------------------------------|-------|----------|
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .750" od |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .375" od |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .625" od |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .875" od |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 1.00" od |

| Stainless | Thk | Width | Length |
|---|--------------------------------|-------|--------|
| 302/304 Laminated Shim COMP 3 | AMS-DTL-22499/3 | 0.02 | 16.625 |
| 302/304 1/4 Hard Laminated Shim PVC | MIL-S-22499 Comp 3-Ty-1 CL-1 | 0.02 | 20 |
| 302 Laminated Sheet Ann. 9 Fin. Comp-3 TY-1 CL-1 006 De | AMS-DTL-22499-A | 0.006 | 24 |
| 302 Full Laminated Sheet Ann. | AMS-DTL-22499 Comp 3 Ty 1 CL 1 | 0.006 | 24 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499 | 0.032 | 15.25 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499-A | 0.032 | 24 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499 rev A | 0.032 | 16 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499 rev A | 0.032 | 15.5 |

| | | | |
|--|----------------------------|-------|--------|
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1 | AMS-DTL-22499 | 0.032 | 24.625 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1 | AMS-DTL-22499 | 0.032 | 28 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1 | AMS-DTL-22499 | 0.032 | 24 |
| 302 Laminated Shim COMP 3 | ASTM-DTL-22499 | 0.049 | 20 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499 | 0.062 | 11.625 |
| 302 Laminated Shim COMP 3 | ASTM-A-240-05A & AMS-5516N | 0.062 | 11.625 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499 | 0.062 | 11.875 |
| 302 Lam Shim. Comp 3 TY 1-Cl 1 | AMS-DTL-22499 | 0.062 | 48 |
| 302 Lam Shim. Comp 3 TY 1-Cl 1 | AMS-DTL-22499 | 0.062 | 24 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1 | ASTM-DTL-22499 | 0.062 | 18.625 |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra | AMS-DTL-22499 | 0.062 | 24 |
| 302 Laminated Shim COMP 3 | ASTM-DTL-22499 | 0.063 | 8 |
| 302 Laminated Shim COMP 3 | ASTM-DTL-22499 | 0.063 | 12.75 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499 | 0.063 | 7.75 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499 | 0.063 | 20 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499 | 0.063 | 19 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499 | 0.063 | 15.25 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499 rev A | 0.063 | 15.25 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1 | ASTM-DTL-22499 rev A | 0.063 | 16 |

| | | | |
|--|----------------------------------|--------|--------|
| 302 Ann Laminated Shim PVC | MIL-S-22499C Comp 3-Ty-1 CL-1 | 0.0662 | 20 |
| 302 Ann Laminated Shim PVC | AMS DTL -22499C Comp 3-Ty-1 CL-1 | 0.093 | 24 |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra | AMS-DTL-22499 | 0.125 | 24 |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra | AMS-DTL-22499 | 0.125 | 24 |
| 302 Laminated Shim Ann. Comp 3 TY-1 CL-2 | STN STL 9F Fin. ASTM-DTL-22499 | 0.094 | 24 |
| 302 Laminated Shim Ann. Comp 3 TY-1 CL-2 | ASTM-DTL-22499 / AMS-5516P | 0.125 | 24 |
| 302 Laminated Shim CL-2 Comp-3 TY-2 | ASTM-DTL-22499 | 0.125 | 14.875 |
| 302/ 304 Laminated Shim Ann. Comp-3 TY-2 CL-1 | ASTM-DTL-22499 | 0.125 | 10 |
| 302 Laminated Shim Ann. Comp-3 TY-2 CL-1 | ASTM-DTL-22499 | 0.125 | 19 |
| 302 Laminated Shim Ann. Comp-3 TY-2 CL-1 | ASTM-DTL-22499 | 0.125 | 13 |
| 302 Laminated Shim Ann. Comp-3 TY-2 CL-1 | ASTM-DTL-22499 | 0.125 | 24 |
| 302 Laminated Shim Ann. Comp-3 TY-2 CL-1 | ASTM-DTL-22499 | 0.125 | 24 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1 | ASTM-DTL-22499 | 0.25 | 24 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1 | ASTM-DTL-22499 | 0.25 | 24 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1 | ASTM-DTL-22499 | 0.25 | 11.5 |

| | | | |
|---|----------------|-------|------|
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1 Consignr | ASTM-DTL-22499 | 0.312 | 24.5 |
|---|----------------|-------|------|

| | | | |
|-----------------|------------|--------------|---------------|
| Titanium | Thk | Width | Length |
|-----------------|------------|--------------|---------------|

| | | | |
|--|---------------|-------|--------|
| Titanium Laminated Shim Comp 5 TY-1 CL-1 | AMS-DTL-22499 | 0.032 | 12 |
| Titanium Laminated Shim Comp 5 ty-1 cl-2 | AMS-DTL-22499 | 0.125 | 10.75 |
| Titanium Laminated Shim Comp 5 ty-1 cl-2 | AMS-DTL-22499 | 0.125 | 12.125 |
| Titanium Laminated Shim Comp 5 ty-1 cl-2 | AMS-DTL-22499 | 0.25 | 12.25 |

| | | | |
|--------------|------------|--------------|---------------|
| Brass | Thk | Width | Length |
|--------------|------------|--------------|---------------|

| | | | |
|---|--------------------------------------|-------|----|
| CU26000 1/2 Hard Brass Laminated Sheet (PVC) | AMS-DTL-22499 Comp-2 Ty-2 CL-1 | 0.06 | 24 |
| C26000 H02 1/2 Hard Brass Laminated Sheet (PVC) | AMS-DTL-22499 Comp-2 Ty-2 CL-1 | 0.06 | 20 |
| C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L | AMS-DTL-22499/rev A Comp-2 Ty-1 CL-1 | 0.063 | 24 |
| C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L | AMS-DTL-22499/rev A Comp-2 Ty-1 CL-1 | 0.094 | 24 |
| C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L | AMS-DTL-22499/rev A Comp-2 Ty-1 CL-1 | 0.094 | 12 |

| | | |
|------------|--------------|---------------|
| Thk | Width | Length |
|------------|--------------|---------------|