

# Laminated All

| 1100-H19 - TY 1- CL 1          |                | Thk                              | Width | Length  | Qty    |
|--------------------------------|----------------|----------------------------------|-------|---------|--------|
| 1100-H19 Laminated Sheet (PVC) |                | AMS-DTL-22499 Comp-1 Ty-1 CL-1   | 0.032 | 7       | 12     |
| 1100-H19 Laminated Sheet (PVC) |                | AMS-DTL-22499/A                  | 0.032 | 12      | 12.25  |
| 1100-H19 Laminated Sheet (PVC) |                | AMS-DTL-22499/A / M22499/015     | 0.032 | 24      | 48     |
| 1100-H19 Laminated Sheet       |                | AMS-DTL-22499 Comp-1 Ty-1 CL-1   | 0.048 | 11.875  | 12     |
| 1100-H19 Laminated Sheet       |                | AMS-DTL-22499 Comp-1 Ty-1 CL-1   | 0.048 | 24      | 29.375 |
| 1100-H19 Laminated Sheet       |                | AMS-DTL-22499 Comp-1 Ty-1 CL-1   | 0.05  | 24      | 23.75  |
| 1100-H19 Laminated Sheet (PVC) |                | AMS-DTL-22499 Comp 1, TY 1, CL 1 | 0.063 | 12      | 24     |
| 1100-H19 Laminated Sheet (PVC) | Full Laminated | AMS-DTL-22499 rev A              | 0.062 | 17      | 18.5   |
| 1100-H19 Laminated Sheet (PVC) | Full Laminated | AMS-DTL-22499 Comp 1, TY 1, CL 1 | 0.062 | 24      | 48     |
| 1100-H19 Laminated Sheet (PVC) | Full Laminated | AMS-DTL-22499 Comp 1, TY 1, CL 1 | 0.062 | 24      | 20     |
| 1100-H19 Laminated Sheet       |                | AMS-DTL-22499 Comp-1 Ty-1 CL-1   | 0.078 | 11.9375 | 23.75  |
| 1100-H19 Laminated Sheet       |                | AMS-DTL-22499 Comp-1 Ty-1 CL-1   | 0.093 | 24      | 48     |

|   |                                |       |       |       |
|---|--------------------------------|-------|-------|-------|
| 1100-H19 Laminated Sheet (PVC)              | MIL-S-22499C Comp-1 Ty-1 CL-1  | 0.094 | 21    | 24    |
| 1100-H19 Laminated Sheet PVC                | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.125 | 24    | 11.5  |
| 1100-H19 Laminated Sheet PVC                | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.125 | 24    | 12.25 |
| 1100-H19 Laminated Sheet PVC                | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.125 | 24    | 27    |
| 1100-H19 Laminated Sheet (PVC) CERT ONLY    | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.187 | 23    | 27.75 |
| 1100-H19 Laminated Sheet (PVC) CERT ONLY    | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.187 | 12    | 18    |
| 1100-H19 Laminated Sheet Finish 2SB PVC     | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.187 | 24    | 11.25 |
| 1100-H19 Laminated Sheet                    | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.19  | 16.25 | 48    |
| 1100-H19 Laminated Sheet (PVC)              | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.19  | 15.75 | 31.25 |
| 1100-H19 Laminated Sheet                    | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.3   | 11.25 | 24    |
| 1100-H19 Laminated Shim PVC                 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.05  | 24    | 48    |
| 1100-H19 Laminated Shim PVC                 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.05  | 24    | 48    |
| 1100-H19 Laminated Shim Comp 1- Ty 1 - Cl 1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.09  | 24    | 35.5  |
| 1100-H19 Laminated Shim Comp 1- Ty 1 - Cl 1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.25  | 24    | 29.25 |

| 1100-H19 - TY 1- CL 2          |                 | Thk                             | Width | Length | Qty     |
|--------------------------------|-----------------|---------------------------------|-------|--------|---------|
| 1100-H19 Laminated Sheet       | Fully Laminated | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.015 | 24     | 48      |
| 1100-H19 Laminated Sheet       | Fully Laminated | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.015 | 29.5   | 18      |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.094 | 24     | 23.875  |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.094 | 24     | 44.9375 |
| 1100-H19 Laminated Sheet       |                 | AMS-4013 AMS-DTL-22499          | 0.094 | 24     | 7.625   |
| 1100-H19 Laminated Sheet       | Insp. B4 Sale   | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.094 | 24     | 48      |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.094 | 23.75  | 24      |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499-Rev -A            | 0.094 | 24     | 48      |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.156 | 24     | 37.75   |
| 1100-H19 Laminated Sheet (PVC) |                 | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.19  | 11.875 | 12      |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.032 | 24     | 48      |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.062 | 24     | 48      |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.062 | 24     | 44.75   |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.65  | 24     | 48      |

|  |                                 |       |    |       |
|--|---------------------------------|-------|----|-------|
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.093 | 24 | 48    |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.12  | 24 | 35.75 |
| 1100-H19 Laminated Sheet PVC Test pc cut 3.5" x 6.5" | MIL-S-22499B Comp-1 Ty-1 CL-2   | 0.125 | 24 | 48    |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499 Comp-1 Ty-2 CL-2  | 0.125 | 24 | 38    |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499 Comp-1 Ty-2 CL-2  | 0.2   | 24 | 35.75 |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499 Comp-1 Ty-2 CL-2  | 0.2   | 12 | 11.75 |

| 5052 - TY 1- CL 1                 | Thk                            | Width | Length | Qty    |
|-----------------------------------|--------------------------------|-------|--------|--------|
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499                  | 0.032 | 12     | 12     |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499                  | 0.032 | 12     | 27.875 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 24     | 41.25  |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 24     | 35     |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499/1A               | 0.25  | 24     | 35.625 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499/1A               | 0.062 | 24     | 48     |

| 5052 -H39 TY1, CL 2 | Thk | Width | Length | Qty |
|---------------------|-----|-------|--------|-----|
|---------------------|-----|-------|--------|-----|

|   |                                    |       |        |        |
|---|------------------------------------|-------|--------|--------|
| 5052-H39 Laminated shim Comp 1 DTY-1 Class 2          | AMS-DTL-22499/A                    | 0.015 | 24     | 39     |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499/1A                   | 0.015 | 5      | 24     |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499 minor dents all shts | 0.015 | 48     | 24     |
| 5052-H39 Laminated shim Comp 1 DTY-1 Class 2          | AMS-DTL-22499/A                    | 0.015 | 24     | 48     |
| 5052-H39 Laminated shim Comp 1 DTY-1 Class 2          | AMS-DTL-22499/A                    | 0.015 | 24     | 48     |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499                      | 0.021 | 19.875 | 24     |
| 5052-H19 Laminated Sheet Comp 1 TY-1 Class 2          | AMS-DTL-22499                      | 0.032 | 24     | 48     |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499                      | 0.062 | 24     | 29.75  |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2 Consigmer | AMS-DTL-22499                      | 0.125 | 12.625 | 19.875 |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499                      | 0.125 | 11.75  | 12.5   |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499                      | 0.125 | 22.75  | 24     |

| 5052 - TY1, CL 1 | Thk | Width | Length | Qty |
|------------------|-----|-------|--------|-----|
|------------------|-----|-------|--------|-----|

|   |               |       |    |      |
|---|---------------|-------|----|------|
| 5052-H39 Laminated shim Comp 1 TY-1 Class 1 | AMS-DTL-22499 | 0.063 | 24 | 47   |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 1 | AMS-DTL-22499 | 0.063 | 24 | 23.5 |

| 5052 Washers | Thk | Width | Length | Qty |
|--------------|-----|-------|--------|-----|
|--------------|-----|-------|--------|-----|

|                                     |                                |       |          |          |
|-------------------------------------|--------------------------------|-------|----------|----------|
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 0.75"Od  | .265" id |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .750" od | .265" id |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .375" od | .174 Id  |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .625" od | .328 Id  |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .875" od | .328" id |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 1.00" od | .390" id |

| Stainless   | Thk                            | Width | Length | Qty    |
|---|--------------------------------|-------|--------|--------|
| 302/304 Laminated Shim COMP 3                           | AMS-DTL-22499/3                | 0.02  | 16.625 | 37     |
| 302/304 1/4 Hard Laminated Shim PVC                     | MIL-S-22499 Comp 3-Ty-1 CL-1   | 0.02  | 20     | 29.875 |
| 302 Laminated Sheet Ann. 9 Fin. Comp-3 TY-1 CL-1 006 De | AMS-DTL-22499-A                | 0.006 | 24     | 35     |
| 302 Full Laminated Sheet Ann.                           | AMS-DTL-22499 Comp 3 Ty 1 CL 1 | 0.006 | 24     | 48     |
| 302 Full Laminated Sheet Ann.                           | AMS-DTL-22499 Comp 3 Ty 1 CL 1 | 0.006 | 24     | 48     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | ASTM-DTL-22499                 | 0.032 | 15.25  | 24     |

|  |                              |       |        |        |
|--|------------------------------|-------|--------|--------|
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499-A             | 0.032 | 24     | 25.75  |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1           | ASTM-DTL-22499 rev A         | 0.032 | 16     | 24     |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1           | ASTM-DTL-22499 rev A         | 0.032 | 15.5   | 24     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | AMS-DTL-22499                | 0.032 | 24.625 | 19.875 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | AMS-DTL-22499                | 0.032 | 18.75  | 8.375  |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | AMS-DTL-22499                | 0.032 | 24     | 32     |
| 302 Laminated Shim COMP 3                                | ASTM-DTL-22499               | 0.049 | 20     | 34.625 |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-2             | AMS-DTL-22499 / M22499/3-011 | 0.06  | 24     | 35.875 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499               | 0.062 | 11.625 | 12     |
| 302 Laminated Shim COMP 3                                | ASTM-A-240-05A & AMS-5516N   | 0.062 | 11.625 | 35.75  |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499               | 0.062 | 11.875 | 24     |
| 302 Lam Shim. Comp 3 TY 1-Cl 1                           | AMS-DTL-22499                | 0.062 | 48     | 8.5    |
| 302 Lam Shim. Comp 3 TY 1-Cl 1                           | AMS-DTL-22499                | 0.062 | 24     | 17.75  |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1           | ASTM-DTL-22499               | 0.062 | 18.625 | 16.75  |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra | AMS-DTL-22499                | 0.062 | 24     | 11.5   |
| 302 Laminated Shim COMP 3                                | ASTM-DTL-22499               | 0.063 | 8      | 24     |
| 302 Laminated Shim COMP 3                                | ASTM-DTL-22499               | 0.063 | 12.75  | 48     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499               | 0.063 | 7.75   | 12     |

|  |                                  |        |        |        |
|--|----------------------------------|--------|--------|--------|
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499                   | 0.063  | 20     | 35.875 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1           | ASTM-DTL-22499                   | 0.063  | 19     | 21     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499                   | 0.063  | 15.25  | 24     |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1           | ASTM-DTL-22499 rev A             | 0.063  | 15.25  | 24.5   |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1           | ASTM-DTL-22499 rev A             | 0.063  | 16     | 24.5   |
| 302 Ann Laminated Shim PVC                               | MIL-S-22499C Comp 3-Ty-1 CL-1    | 0.0662 | 20     | 41.5   |
| 302 Ann Laminated Shim PVC                               | AMS DTL -22499C Comp 3-Ty-1 CL-1 | 0.093  | 24     | 41     |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1             | AMS-DTL-22499 / M22499/3-029     | 0.12   | 24     | 12     |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra | AMS-DTL-22499                    | 0.125  | 24     | 39.75  |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra | AMS-DTL-22499                    | 0.125  | 24     | 29     |
| 302 Laminated Shim Ann. Comp 3 TY-1 CL-2                 | STN STL 9F Fin. ASTM-DTL-22499   | 0.094  | 24     | 35.75  |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499 / AMS-5516P       | 0.125  | 24     | 48     |
| 302 Laminated Shim CL-2 Comp-3 TY-2                      | ASTM-DTL-22499                   | 0.125  | 14.875 | 24     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499                   | 0.125  | 19     | 25.25  |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499                   | 0.125  | 13     | 29     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499                   | 0.125  | 24     | 43.75  |



|   |                               |       |      |         |
|---|-------------------------------|-------|------|---------|
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | ASTM-DTL-22499                | 0.125 | 24   | 27      |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1          | ASTM-DTL-22499                | 0.25  | 24   | 8       |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1          | ASTM-DTL-22499                | 0.25  | 24   | 37.9375 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1          | ASTM-DTL-22499                | 0.25  | 11.5 | 10      |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1          | ASTM-DTL-22499 / M22499/3-041 | 0.25  | 14.5 | 35      |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1 Consignr | ASTM-DTL-22499                | 0.312 | 24.5 | 48.5    |

| Titanium | Thk | Width | Length | Qty |
|----------|-----|-------|--------|-----|
|----------|-----|-------|--------|-----|

|  |               |       |        |        |
|--|---------------|-------|--------|--------|
| Titanium Laminated Shim Comp 5 TY-1 CL-1 | AMS-DTL-22499 | 0.032 | 12     | 41.625 |
| Titanium Laminated Shim Comp 5 ty-1 cl-2 | AMS-DTL-22499 | 0.125 | 10.75  | 20     |
| Titanium Laminated Shim Comp 5 ty-1 cl-2 | AMS-DTL-22499 | 0.125 | 12.125 | 27.5   |
| Titanium Laminated Shim Comp 5 ty-1 cl-2 | AMS-DTL-22499 | 0.25  | 12.25  | 27.5   |

| Brass | Thk | Width | Length | Qty |
|-------|-----|-------|--------|-----|
|-------|-----|-------|--------|-----|

|   |                                      |       |    |      |
|---|--------------------------------------|-------|----|------|
| CU26000 1/2 Hard Brass Laminated Sheet (PVC)          | AMS-DTL-22499 Comp-2 Ty-2 CL-1       | 0.06  | 24 | 48   |
| C26000 H02 1/2 Hard Brass Laminated Sheet (PVC)       | AMS-DTL-22499 Comp-2 Ty-2 CL-1       | 0.06  | 20 | 48   |
| C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L | AMS-DTL-22499/rev A Comp-2 Ty-1 CL-1 | 0.063 | 24 | 23.5 |

|   |                     |                  |       |    |    |
|---|---------------------|------------------|-------|----|----|
| C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L | AMS-DTL-22499/rev A | Comp-2 Ty-1 CL-1 | 0.094 | 24 | 36 |
| C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L | AMS-DTL-22499/rev A | Comp-2 Ty-1 CL-1 | 0.094 | 12 | 12 |

|  | Thk | Width | Length | Qty |
|--|-----|-------|--------|-----|
|--|-----|-------|--------|-----|