

Laminated All

1100-H19 - TY 1- CL 1		Thk	Width	Length	Qty
1100-H19 Laminated Sheet (PVC)		AMS-DTL-22499 Rev B / AMS 4013	0.006	24	36.875
1100-H19 Laminated Sheet (PVC)		AMS-DTL-22499 Rev B / AMS 4013	0.006	24	48
1100-H19 Laminated Sheet (PVC)		AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.032	7	12
1100-H19 Laminated Sheet (PVC)		AMS-DTL-22499/A	0.032	12	12.25
1100-H19 Laminated Sheet (PVC)		AMS-DTL-22499/A / M22499/015	0.032	24	48
1100-H19 Laminated Sheet		AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.048	11.875	12
1100-H19 Laminated Sheet		AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.048	24	29.375
1100-H19 Laminated Sheet		AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.05	24	23.75
1100-H19 Laminated Sheet (PVC)		AMS-DTL-22499 Comp 1, TY 1, CL 1	0.063	12	24
1100-H19 Laminated Sheet (PVC)	Full Laminated	AMS-DTL-22499 rev A	0.062	17	18.5
1100-H19 Laminated Sheet (PVC)	Full Laminated	AMS-DTL-22499 Comp 1, TY 1, CL 1	0.062	24	37.875
1100-H19 Laminated Sheet (PVC)	Full Laminated	AMS-DTL-22499 Comp 1, TY 1, CL 1	0.062	24	20

1100-H19 Laminated Sheet	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.078	11.9375	23.75
1100-H19 Laminated Sheet	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.093	24	48
1100-H19 Laminated Sheet (PVC)	MIL-S-22499C Comp-1 Ty-1 CL-1	0.094	21	24
1100-H19 Laminated Sheet PVC	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.125	24	11.5
1100-H19 Laminated Sheet PVC	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.125	24	12.25
1100-H19 Laminated Sheet PVC	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.125	24	27
1100-H19 Laminated Sheet (PVC) CERT ONLY	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.187	23	27.75
1100-H19 Laminated Sheet (PVC) CERT ONLY	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.187	12	18
1100-H19 Laminated Sheet Finish 2SB PVC	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.187	24	11.25
1100-H19 Laminated Sheet	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.19	16.25	48
1100-H19 Laminated Sheet (PVC)	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.19	15.75	31.25
1100-H19 Laminated Sheet	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.3	11.25	24
1100-H19 Laminated Shim PVC	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.05	24	36.5
1100-H19 Laminated Shim PVC	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.05	24	48
1100-H19 Laminated Shim PVC	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.05	24	48

1100-H19 Laminated Shim Comp 1- Ty 1 - Cl 1	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.09	24	35.5
1100-H19 Laminated Shim Comp 1- Ty 1 - Cl 1	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.25	24	29.25

1100-H19 - TY 1- CL 2		Thk	Width	Length	Qty
1100-H19 Laminated Sheet	Fully Laminated	AMS-DTL-22499 Comp-1 Ty-1 CL-2	0.015	24	48
1100-H19 Laminated Sheet	Fully Laminated	AMS-DTL-22499 Comp-1 Ty-1 CL-2	0.015	29.5	18
1100-H19 Laminated Sheet		AMS-DTL-22499 Comp-1 Ty-1 CL-2	0.094	24	23.875
1100-H19 Laminated Sheet		AMS-DTL-22499 Comp-1 Ty-1 CL-2	0.094	24	44.9375
1100-H19 Laminated Sheet		AMS-4013 AMS-DTL-22499	0.094	24	7.625
1100-H19 Laminated Sheet	Insp. B4 Sale	AMS-DTL-22499 Comp-1 Ty-1 CL-2	0.094	24	48
1100-H19 Laminated Sheet		AMS-DTL-22499 Comp-1 Ty-1 CL-2	0.094	23.75	24
1100-H19 Laminated Sheet		AMS-DTL-22499-Rev -A	0.094	24	48
1100-H19 Laminated Sheet		AMS-DTL-22499 Comp-1 Ty-1 CL-2	0.156	24	37.75
1100-H19 Laminated Sheet (PVC)		AMS-DTL-22499 Comp-1 Ty-1 CL-2	0.19	11.875	12
1100-H19 Laminated Sheet		AMS-DTL-22499, CP-1, CL-2, TY-2	0.032	24	48

1100-H19 Laminated Sheet	AMS-DTL-22499, CP-1, CL-2, TY-2	0.062	24	48
1100-H19 Laminated Sheet	AMS-DTL-22499, CP-1, CL-2, TY-2	0.062	24	44.75
1100-H19 Laminated Sheet	AMS-DTL-22499, CP-1, CL-2, TY-2	0.65	24	48
1100-H19 Laminated Sheet	AMS-DTL-22499, CP-1, CL-2, TY-2	0.093	24	48
1100-H19 Laminated Sheet	AMS-DTL-22499, CP-1, CL-2, TY-2	0.12	24	35.75
1100-H19 Laminated Sheet PVC Test pc cut 3.5" x 6.5"	MIL-S-22499B Comp-1 Ty-1 CL-2	0.125	24	48
1100-H19 Laminated Sheet	AMS-DTL-22499 Comp-1 Ty-2 CL-2	0.125	24	38
1100-H19 Laminated Sheet	AMS-DTL-22499 Comp-1 Ty-2 CL-2	0.2	24	35.75
1100-H19 Laminated Sheet	AMS-DTL-22499 Comp-1 Ty-2 CL-2	0.2	12	11.75

5052 - TY 1- CL 1	Thk	Width	Length	Qty
5052-H19 Sheet Comp 1 Type 1 Cl-1	AMS-DTL-22499	0.032	12	12
5052-H19 Sheet Comp 1 Type 1 Cl-1	AMS-DTL-22499	0.032	12	27.875
5052-H19 Sheet Comp 1 Type 1 Cl-1	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.032	24	41.25
5052-H19 Sheet Comp 1 Type 1 Cl-1	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.032	24	35

5052-H19 Sheet Comp 1 Type 1 Cl-1	AMS-DTL-22499/1A	0.25	24	35.625
-----------------------------------	------------------	------	----	--------

5052-H19 Sheet Comp 1 Type 1 Cl-1	AMS-DTL-22499/1A	0.062	24	48
-----------------------------------	------------------	-------	----	----

5052 -H39 TY1, CL 2	Thk	Width	Length	Qty
---------------------	-----	-------	--------	-----

5052-H39 Laminated shim Comp 1 DTY-1 Class 2	AMS-DTL-22499/A	0.015	24	39
--	-----------------	-------	----	----

5052-H39 Laminated shim Comp 1 TY-1 Class 2	AMS-DTL-22499/1A	0.015	5	24
---	------------------	-------	---	----

5052-H39 Laminated shim Comp 1 TY-1 Class 2	AMS-DTL-22499 minor dents all shts	0.015	48	24
---	------------------------------------	-------	----	----

5052-H39 Laminated shim Comp 1 DTY-1 Class 2	AMS-DTL-22499/A	0.015	24	48
--	-----------------	-------	----	----

5052-H39 Laminated shim Comp 1 DTY-1 Class 2	AMS-DTL-22499/A	0.015	24	48
--	-----------------	-------	----	----

5052-H39 Laminated shim Comp 1 TY-1 Class 2	AMS-DTL-22499	0.021	19.875	24
---	---------------	-------	--------	----

5052-H19 Laminated Sheet Comp 1 TY-1 Class 2	AMS-DTL-22499	0.032	24	48
--	---------------	-------	----	----

5052-H39 Laminated shim Comp 1 TY-1 Class 2	AMS-DTL-22499	0.062	24	29.75
---	---------------	-------	----	-------

5052-H39 Laminated shim Comp 1 TY-1 Class 2 Consigmer	AMS-DTL-22499	0.125	12.625	19.875
---	---------------	-------	--------	--------

5052-H39 Laminated shim Comp 1 TY-1 Class 2	AMS-DTL-22499	0.125	11.75	12.5
---	---------------	-------	-------	------

5052-H39 Laminated shim Comp 1 TY-1 Class 2	AMS-DTL-22499	0.125	22.75	24
---	---------------	-------	-------	----

5052 - TY1, CL 1	Thk	Width	Length	Qty
------------------	-----	-------	--------	-----

5052-H39 Laminated shim Comp 1 TY-1 Class 1	AMS-DTL-22499	0.063	24	47
5052-H39 Laminated shim Comp 1 TY-1 Class 1	AMS-DTL-22499	0.063	24	23.5

5052 Washers	Thk	Width	Length	Qty
--------------	-----	-------	--------	-----

5052-H19 Washers Comp 1 Type 1 Cl-1	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.032	0.75"Od	.265" Id
5052-H19 Washers Comp 1 Type 1 Cl-1	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.032	.750" od	.265" id
5052-H19 Washers Comp 1 Type 1 Cl-1	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.032	.375" od	.174 Id
5052-H19 Washers Comp 1 Type 1 Cl-1	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.032	.625" od	.328 Id
5052-H19 Washers Comp 1 Type 1 Cl-1	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.032	.875" od	.328" id
5052-H19 Washers Comp 1 Type 1 Cl-1	AMS-DTL-22499 Comp-1 Ty-1 CL-1	0.032	1.00" od	.390" id

Stainless	Thk	Width	Length	Qty
-----------	-----	-------	--------	-----

302/304 Laminated Shim COMP 3	AMS-DTL-22499/3	0.02	16.625	37
302/304 1/4 Hard Laminated Shim PVC	MIL-S-22499 Comp 3-Ty-1 CL-1	0.02	20	29.875

302 Laminated Sheet Ann. 9 Fin. Comp-3 TY-1 CL-1 006 De	AMS-DTL-22499-A	0.006	24	35
302 Full Laminated Sheet Ann.	AMS-DTL-22499 Comp 3 Ty 1 CL 1	0.006	24	48
302 Full Laminated Sheet Ann.	AMS-DTL-22499 Comp 3 Ty 1 CL 1	0.006	24	48
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.032	15.25	24
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499-A	0.032	24	25.75
302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499 rev A	0.032	12	24
302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499 rev A	0.032	15.5	24
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	AMS-DTL-22499	0.032	24.625	19.875
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	AMS-DTL-22499	0.032	18.75	8.375
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	AMS-DTL-22499	0.032	24	32
302 Laminated Shim COMP 3	ASTM-DTL-22499	0.049	20	34.625
302/304 Laminated Shim Ann. Comp-3 TY-1 CL-2	AMS-DTL-22499 / M22499/3-011	0.06	24	35.875
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.062	11.625	12
302 Laminated Shim COMP 3	ASTM-A-240-05A & AMS-5516N	0.062	11.625	35.75
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.062	11.875	24
302 Lam Shim. Comp 3 TY 1-CL 1	AMS-DTL-22499	0.062	48	8.5
302 Lam Shim. Comp 3 TY 1-CL 1	AMS-DTL-22499	0.062	24	17.75
302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1	ASTM-DTL-22499	0.062	18.625	16.75
302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra	AMS-DTL-22499	0.062	24	11.5

302 Laminated Shim COMP 3	ASTM-DTL-22499	0.063	8	24
302 Laminated Shim COMP 3	ASTM-DTL-22499	0.063	12.75	48
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.063	7.75	12
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.063	20	35.875
302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.063	19	21
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.063	15.25	24
302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499 rev A	0.063	15.25	24.5
302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499 rev A	0.063	16	24.5
302 Ann Laminated Shim PVC	MIL-S-22499C Comp 3-Ty-1 CL-1	0.0662	20	41.5
302 Ann Laminated Shim PVC	AMS DTL -22499C Comp 3-Ty-1 CL-1	0.093	24	41
302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1	AMS-DTL-22499 / M22499/3-029	0.12	24	12
302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra	AMS-DTL-22499	0.125	24	39.75
302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra	AMS-DTL-22499	0.125	24	29
302 Laminated Shim Ann. Comp 3 TY-1 CL-2	STN STL 9F Fin. ASTM-DTL-22499	0.094	24	35.75
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499 / AMS-5516P	0.125	24	48
302 Laminated Shim CL-2 Comp-3 TY-2	ASTM-DTL-22499	0.125	14.875	24

302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.12	24	24.5
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.125	19	25.25
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.125	13	29
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.125	24	43.75
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.125	24	27
302 Laminated Shim Ann. Comp-3 TY-1 CL-1	ASTM-DTL-22499	0.12	24	24.5
302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1	ASTM-DTL-22499	0.25	24	8
302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1	ASTM-DTL-22499	0.25	24	37.9375
302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1	ASTM-DTL-22499	0.25	11.5	10
302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1	ASTM-DTL-22499 / M22499/3-041	0.25	12	11.625
302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1	ASTM-DTL-22499 / M22499/3-041	0.25	22.5	24
302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1 Consignr	ASTM-DTL-22499	0.312	24.5	48.5

Titanium	Thk	Width	Length	Qty
Titanium Laminated Shim Comp 5 TY-1 CL-1	AMS-DTL-22499	0.032	12	41.625
Titanium Laminated Shim Comp 5 ty-1 cl-2	AMS-DTL-22499	0.125	10.75	20
Titanium Laminated Shim Comp 5 ty-1 cl-2	AMS-DTL-22499	0.125	12.125	27.5

Titanium Laminated Shim Comp 5 ty-1 cl-2	AMS-DTL-22499	0.25	12.25	27.5
--	---------------	------	-------	------

Brass	Thk	Width	Length	Qty
-------	-----	-------	--------	-----

CU26000 1/2 Hard Brass Laminated Sheet (PVC)	AMS-DTL-22499 Comp-2 Ty-2 CL-1	0.06	24	48
--	--------------------------------	------	----	----

C26000 H02 1/2 Hard Brass Laminated Sheet (PVC)	AMS-DTL-22499 Comp-2 Ty-2 CL-1	0.06	20	48
---	--------------------------------	------	----	----

C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L	AMS-DTL-22499/rev A Comp-2 Ty-1 CL-1	0.063	24	23.5
---	--------------------------------------	-------	----	------

C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L	AMS-DTL-22499/rev A Comp-2 Ty-1 CL-1	0.094	24	36
---	--------------------------------------	-------	----	----

C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L	AMS-DTL-22499/rev A Comp-2 Ty-1 CL-1	0.094	12	12
---	--------------------------------------	-------	----	----

Thk	Width	Length	Qty
-----	-------	--------	-----