

# Laminated All

| 1100-H19 - TY 1- CL 1          |                | Thk                              | Width | Length |
|--------------------------------|----------------|----------------------------------|-------|--------|
| 1100-H19 Laminated Sheet (PVC) |                | AMS-DTL-22499 Rev B / AMS 4013   | 0.006 | 24     |
| 1100-H19 Laminated Sheet (PVC) |                | AMS-DTL-22499 Rev B / AMS 4013   | 0.006 | 24     |
| 1100-H19 Laminated Sheet (PVC) |                | AMS-DTL-22499 Comp-1 Ty-1 CL-1   | 0.032 | 7      |
| 1100-H19 Laminated Sheet (PVC) |                | AMS-DTL-22499/A                  | 0.032 | 12     |
| 1100-H19 Laminated Sheet (PVC) |                | AMS-DTL-22499/A / M22499/015     | 0.032 | 24     |
| 1100-H19 Laminated Sheet       |                | AMS-DTL-22499 Comp-1 Ty-1 CL-1   | 0.048 | 11.875 |
| 1100-H19 Laminated Sheet       |                | AMS-DTL-22499 Comp-1 Ty-1 CL-1   | 0.048 | 24     |
| 1100-H19 Laminated Sheet       |                | AMS-DTL-22499 Comp-1 Ty-1 CL-1   | 0.05  | 24     |
| 1100-H19 Laminated Sheet (PVC) |                | AMS-DTL-22499 Comp 1, TY 1, CL 1 | 0.063 | 12     |
| 1100-H19 Laminated Sheet (PVC) | Full Laminated | AMS-DTL-22499 rev A              | 0.062 | 17     |
| 1100-H19 Laminated Sheet (PVC) | Full Laminated | AMS-DTL-22499 Comp 1, TY 1, CL 1 | 0.062 | 24     |
| 1100-H19 Laminated Sheet (PVC) | Full Laminated | AMS-DTL-22499 Comp 1, TY 1, CL 1 | 0.062 | 24     |

|  |                                |       |         |
|--|--------------------------------|-------|---------|
| 1100-H19 Laminated Sheet                 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.078 | 11.9375 |
| 1100-H19 Laminated Sheet                 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.093 | 24      |
| 1100-H19 Laminated Sheet (PVC)           | MIL-S-22499C Comp-1 Ty-1 CL-1  | 0.094 | 21      |
| 1100-H19 Laminated Sheet PVC             | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.125 | 24      |
| 1100-H19 Laminated Sheet PVC             | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.125 | 24      |
| 1100-H19 Laminated Sheet PVC             | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.125 | 24      |
| 1100-H19 Laminated Sheet (PVC) CERT ONLY | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.187 | 23      |
| 1100-H19 Laminated Sheet (PVC) CERT ONLY | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.187 | 12      |
| 1100-H19 Laminated Sheet Finish 2SB PVC  | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.187 | 24      |
| 1100-H19 Laminated Sheet                 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.19  | 16.25   |
| 1100-H19 Laminated Sheet (PVC)           | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.19  | 15.75   |
| 1100-H19 Laminated Sheet                 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.3   | 11.25   |
| 1100-H19 Laminated Shim PVC              | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.05  | 24      |
| 1100-H19 Laminated Shim PVC              | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.05  | 24      |
| 1100-H19 Laminated Shim PVC              | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.05  | 24      |

|   |                                |      |    |
|---|--------------------------------|------|----|
| 1100-H19 Laminated Shim Comp 1- Ty 1 - Cl 1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.09 | 24 |
| 1100-H19 Laminated Shim Comp 1- Ty 1 - Cl 1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.25 | 24 |

| 1100-H19 - TY 1- CL 2          |                 | Thk                             | Width | Length |
|--------------------------------|-----------------|---------------------------------|-------|--------|
| 1100-H19 Laminated Sheet       | Fully Laminated | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.015 | 24     |
| 1100-H19 Laminated Sheet       | Fully Laminated | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.015 | 29.5   |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.094 | 24     |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.094 | 24     |
| 1100-H19 Laminated Sheet       |                 | AMS-4013 AMS-DTL-22499          | 0.094 | 24     |
| 1100-H19 Laminated Sheet       | Insp. B4 Sale   | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.094 | 24     |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.094 | 23.75  |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499-Rev -A            | 0.094 | 24     |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.156 | 24     |
| 1100-H19 Laminated Sheet (PVC) |                 | AMS-DTL-22499 Comp-1 Ty-1 CL-2  | 0.19  | 11.875 |
| 1100-H19 Laminated Sheet       |                 | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.032 | 24     |

|  |                                 |       |    |
|--|---------------------------------|-------|----|
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.062 | 24 |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.062 | 24 |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.65  | 24 |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.093 | 24 |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499, CP-1, CL-2, TY-2 | 0.12  | 24 |
| 1100-H19 Laminated Sheet PVC Test pc cut 3.5" x 6.5" | MIL-S-22499B Comp-1 Ty-1 CL-2   | 0.125 | 24 |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499 Comp-1 Ty-2 CL-2  | 0.125 | 24 |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499 Comp-1 Ty-2 CL-2  | 0.125 | 24 |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499 Comp-1 Ty-2 CL-2  | 0.2   | 24 |
| 1100-H19 Laminated Sheet                             | AMS-DTL-22499 Comp-1 Ty-2 CL-2  | 0.2   | 12 |

| 5052 - TY 1- CL 1 | Thk | Width | Length |
|-------------------|-----|-------|--------|
|-------------------|-----|-------|--------|

|                                   |                                |       |    |
|-----------------------------------|--------------------------------|-------|----|
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499                  | 0.032 | 12 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499                  | 0.032 | 12 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 24 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 24 |

|                                   |                  |             |    |
|-----------------------------------|------------------|-------------|----|
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499/1A | 0.062       | 24 |
| 5052-H19 Sheet Comp 1 Type 1 Cl-1 | AMS-DTL-22499/1A | <b>0.25</b> | 24 |

|                            |            |              |               |
|----------------------------|------------|--------------|---------------|
| <b>5052 -H39 TY1, CL 2</b> | <b>Thk</b> | <b>Width</b> | <b>Length</b> |
|----------------------------|------------|--------------|---------------|

|   |                                    |       |        |
|---|------------------------------------|-------|--------|
| 5052-H39 Laminated shim Comp 1 DTY-1 Class 2          | AMS-DTL-22499/A                    | 0.015 | 24     |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499/1A                   | 0.015 | 5      |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499 minor dents all shts | 0.015 | 48     |
| 5052-H39 Laminated shim Comp 1 DTY-1 Class 2          | AMS-DTL-22499/A                    | 0.015 | 24     |
| 5052-H39 Laminated shim Comp 1 DTY-1 Class 2          | AMS-DTL-22499/A                    | 0.015 | 24     |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499                      | 0.021 | 19.875 |
| 5052-H19 Laminated Sheet Comp 1 TY-1 Class 2          | AMS-DTL-22499                      | 0.032 | 24     |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499                      | 0.062 | 24     |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2 Consigmer | AMS-DTL-22499                      | 0.125 | 12.625 |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499                      | 0.125 | 11.75  |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 2           | AMS-DTL-22499                      | 0.125 | 22.75  |

|                         |            |              |               |
|-------------------------|------------|--------------|---------------|
| <b>5052 - TY1, CL 1</b> | <b>Thk</b> | <b>Width</b> | <b>Length</b> |
|-------------------------|------------|--------------|---------------|

|   |               |       |    |
|---|---------------|-------|----|
| 5052-H39 Laminated shim Comp 1 TY-1 Class 1 | AMS-DTL-22499 | 0.063 | 24 |
| 5052-H39 Laminated shim Comp 1 TY-1 Class 1 | AMS-DTL-22499 | 0.063 | 24 |

| 5052 Washers | Thk | Width | Length |
|--------------|-----|-------|--------|
|--------------|-----|-------|--------|

|                                     |                                |       |          |
|-------------------------------------|--------------------------------|-------|----------|
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 0.75"Od  |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .750" od |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .375" od |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .625" od |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | .875" od |
| 5052-H19 Washers Comp 1 Type 1 Cl-1 | AMS-DTL-22499 Comp-1 Ty-1 CL-1 | 0.032 | 1.00" od |

| Stainless | Thk | Width | Length |
|-----------|-----|-------|--------|
|-----------|-----|-------|--------|

|                                     |                              |      |        |
|-------------------------------------|------------------------------|------|--------|
| 302/304 Laminated Shim COMP 3       | AMS-DTL-22499/3              | 0.02 | 16.625 |
| 302/304 1/4 Hard Laminated Shim PVC | MIL-S-22499 Comp 3-Ty-1 CL-1 | 0.02 | 20     |

|   |                                |       |        |
|---|--------------------------------|-------|--------|
| 302 Laminated Sheet Ann. 9 Fin. Comp-3 TY-1 CL-1 006 De | AMS-DTL-22499-A                | 0.006 | 24     |
| 302 Full Laminated Sheet Ann.                           | AMS-DTL-22499 Comp 3 Ty 1 CL 1 | 0.006 | 24     |
| 302 Full Laminated Sheet Ann.                           | AMS-DTL-22499 Comp 3 Ty 1 CL 1 | 0.006 | 24     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | ASTM-DTL-22499                 | 0.032 | 15.25  |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | ASTM-DTL-22499-A               | 0.032 | 24     |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1          | ASTM-DTL-22499 rev A           | 0.032 | 12     |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1          | ASTM-DTL-22499 rev A           | 0.032 | 15.5   |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | AMS-DTL-22499                  | 0.032 | 24.625 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | AMS-DTL-22499                  | 0.032 | 18.75  |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | AMS-DTL-22499                  | 0.032 | 24     |
| 302 Laminated Shim COMP 3                               | ASTM-DTL-22499                 | 0.049 | 20     |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-2            | AMS-DTL-22499 / M22499/3-011   | 0.06  | 24     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | ASTM-DTL-22499                 | 0.062 | 11.625 |
| 302 Laminated Shim COMP 3                               | ASTM-A-240-05A & AMS-5516N     | 0.062 | 11.625 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | ASTM-DTL-22499                 | 0.062 | 11.875 |
| 302 Lam Shim. Comp 3 TY 1-Cl 1                          | AMS-DTL-22499                  | 0.062 | 48     |
| 302 Lam Shim. Comp 3 TY 1-Cl 1                          | AMS-DTL-22499                  | 0.062 | 24     |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1          | ASTM-DTL-22499                 | 0.062 | 18.625 |

|  |                                  |        |       |
|--|----------------------------------|--------|-------|
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra | AMS-DTL-22499                    | 0.062  | 24    |
| 302 Laminated Shim COMP 3                                | ASTM-DTL-22499                   | 0.063  | 8     |
| 302 Laminated Shim COMP 3                                | ASTM-DTL-22499                   | 0.063  | 12.75 |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499                   | 0.063  | 7.75  |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499                   | 0.063  | 20    |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1           | ASTM-DTL-22499                   | 0.063  | 19    |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499                   | 0.063  | 15.25 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1           | ASTM-DTL-22499 rev A             | 0.063  | 15.25 |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-1 CL-1           | ASTM-DTL-22499 rev A             | 0.063  | 16    |
| 302 Ann Laminated Shim PVC                               | MIL-S-22499C Comp 3-Ty-1 CL-1    | 0.0662 | 20    |
| 302 Ann Laminated Shim PVC                               | AMS DTL -22499C Comp 3-Ty-1 CL-1 | 0.093  | 24    |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1             | AMS-DTL-22499 / M22499/3-029     | 0.12   | 24    |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra | AMS-DTL-22499                    | 0.125  | 24    |
| 302/304 Laminated Shim Ann. Comp-3 TY-1 CL-1/ Light Scra | AMS-DTL-22499                    | 0.125  | 24    |
| 302 Laminated Shim Ann. Comp 3 TY-1 CL-2                 | STN STL 9F Fin. ASTM-DTL-22499   | 0.094  | 24    |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                 | ASTM-DTL-22499 / AMS-5516P       | 0.125  | 24    |



|   |                               |       |        |
|---|-------------------------------|-------|--------|
| 302 Laminated Shim CL-2 Comp-3 TY-2                     | ASTM-DTL-22499                | 0.125 | 14.875 |
| 302 Laminated Shim Ann. Comp-3 TY-2 CL-1                | ASTM-DTL-22499                | 0.12  | 24.5   |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | ASTM-DTL-22499                | 0.125 | 19     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | ASTM-DTL-22499                | 0.125 | 13     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | ASTM-DTL-22499                | 0.125 | 24     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | ASTM-DTL-22499                | 0.125 | 24     |
| 302 Laminated Shim Ann. Comp-3 TY-1 CL-1                | ASTM-DTL-22499                | 0.12  | 24     |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1          | ASTM-DTL-22499                | 0.25  | 24     |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1          | ASTM-DTL-22499                | 0.25  | 24     |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1          | ASTM-DTL-22499                | 0.25  | 11.5   |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1          | ASTM-DTL-22499 / M22499/3-041 | 0.25  | 12     |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1          | ASTM-DTL-22499 / M22499/3-041 | 0.25  | 22.5   |
| 302 / 304 Laminated Shim Ann. Comp-3 TY-2 CL-1 Consignr | ASTM-DTL-22499                | 0.312 | 24.5   |

| Titanium                                 | Thk           | Width | Length |
|--|---------------|-------|--------|
| Titanium Laminated Shim Comp 5 TY-1 CL-1 | AMS-DTL-22499 | 0.032 | 12     |
| Titanium Laminated Shim Comp 5 ty-1 cl-2 | AMS-DTL-22499 | 0.125 | 10.75  |
| Titanium Laminated Shim Comp 5 ty-1 cl-2 | AMS-DTL-22499 | 0.125 | 12.125 |

|  |               |      |       |
|--|---------------|------|-------|
| Titanium Laminated Shim Comp 5 ty-1 cl-2 | AMS-DTL-22499 | 0.25 | 12.25 |
|--|---------------|------|-------|

|              |            |              |               |
|--------------|------------|--------------|---------------|
| <b>Brass</b> | <b>Thk</b> | <b>Width</b> | <b>Length</b> |
|--------------|------------|--------------|---------------|

|  |                                |      |    |
|--|--------------------------------|------|----|
| CU26000 1/2 Hard Brass Laminated Sheet (PVC) | AMS-DTL-22499 Comp-2 Ty-2 CL-1 | 0.06 | 24 |
|--|--------------------------------|------|----|

|   |                                |      |    |
|---|--------------------------------|------|----|
| C26000 H02 1/2 Hard Brass Laminated Sheet (PVC) | AMS-DTL-22499 Comp-2 Ty-2 CL-1 | 0.06 | 20 |
|---|--------------------------------|------|----|

|   |                                      |       |    |
|---|--------------------------------------|-------|----|
| C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L | AMS-DTL-22499/rev A Comp-2 Ty-1 CL-1 | 0.063 | 24 |
|---|--------------------------------------|-------|----|

|   |                                      |       |    |
|---|--------------------------------------|-------|----|
| C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L | AMS-DTL-22499/rev A Comp-2 Ty-1 CL-1 | 0.094 | 24 |
|---|--------------------------------------|-------|----|

|   |                                      |       |    |
|---|--------------------------------------|-------|----|
| C26000 HH 1/2 Hard Brass Laminated Sheet (PVC) Full L | AMS-DTL-22499/rev A Comp-2 Ty-1 CL-1 | 0.094 | 12 |
|---|--------------------------------------|-------|----|

|  |            |              |               |
|--|------------|--------------|---------------|
|  | <b>Thk</b> | <b>Width</b> | <b>Length</b> |
|--|------------|--------------|---------------|