

1100 All *Tri-Tech Metals Inc*

Sheet - 0	Spec	Thk	Width	Length
1100-0 Coil Sheet	QQA-250/1	0.005	3	coil
1100-0 Coil Sheet	QQA-250/1	0.005	12	coil
1100-0 Coil Sheet	QQA-250/1	0.005	24	coil
1100-0 Coil Sheet	QQA-250/1	0.005	2	Coil
1100-0 Foil Sheet Approx 7Lbs Type 1 Gd. B	QQ-A-1876	0.005	12	1200
1100-0 Coil Sheet	ASTM-B209-10 / AMS-4001	0.006	12	coil
1100-0 Coil Sheet	QQA-250/1	0.012	6	Coil
1100-0 Coil Sheet	QQA-250/1	0.016	8	24
1100-0 Sheet	ASTM-B209-07	0.05	35.875	16.5
1100-0 Sheet	ASTM-B209-07	0.05	48	95.9375
1100-0 Sheet	ASTM-B209-07	0.05	23.5	37.75
1100-0 Sheet	ASTM-B209-10	0.063	48	90.25

1100-0 Sheet	QQA-250/1	0.125	3.75	8
1100-0 Sheet PVC	ASTM-B209-10	0.125	47.5	48
1100-0 Sheet PVC	ASTM-B209-10	0.125	48	12
1100-0 Sheet PVC	ASTM-B209-10	0.125	48	47.5
1100-0 Sheet PVC	ASTM-B209-10	0.125	48	33

1100-0 Plate	Spec	Thk	Width	Length
---------------------	-------------	------------	--------------	---------------

1100-0 Plate	ASTM-B209	0.375	3.75	9.625
1100-0 Plate	ASTM-B209	0.375	19	24
1100-0 Plate	ASTM-B209	0.375	5.625	42

1100-H14 Sheet

1100-H14 Coil Sheet	QQA-250/1/AMS-4003F	0.012	24	230
1100-H14 Coil Sheet	QQA-250/1/ ASTM-B209	0.012	24	76
1100-H14 Sheet PVC minor scratches	QQA-250/1/ ASTM-B209	0.012	12	24
1100-H14 Sheet	QQA-250/1	0.02	12	12

1100-H14 Sheet PVC	minor Damage	ASTM-B209	0.02	19.75	48
1100-H14 Sheet PVC		ASTM-B209	0.02	48	144
1100-H14 Sheet PVC	(Tool Damage at 82.	QQA-250/1	0.032	48	144
1100-H14 Sheet PVC		ASTM-B209-07	0.032	26.875	48
1100-H14 Sheet PVC		ASTM-B209-07	0.032	12	34
1100-H14 Sheet PVC		ASTM-B209-07	0.032	38.75	48
1100-H14 Sheet PVC		ASTM-B209-07	0.032	38.625	48
1100-H14 Sheet PVC	(Scratched at 82.5" L	ASTM-B209-07	0.032	48	144
1100-H14 Sheet PVC		ASTM-B209-10	0.032	48	104
1100-H14 Sheet PVC		ASTM-B209-10	0.032	38.5	48
1100-H14 Sheet PVC	minor scratches	ASTM-B209-10	0.032	48	144
1100-H14 Sheet		QQA-250/1	0.04	16.25	48
1100-H14 Sheet PVC		ASTM-B209	0.04	48	144
1100-H14 Sheet PVC		ASTM-B209	0.04	48	128.75
1100-H14 Sheet PVC		ASTM-B209	0.04	15.25	22.75
1100-H14 Sheet PVC		ASTM-B209	0.063	48	35.25
1100-H14 Sheet PVC		ASTM-B209	0.063	13.125	35.625

1100-H14 Sheet PVC	ASTM-B209 -10	0.08	46.375	48
1100-H14 Sheet	QQA-250/1	0.09	21	24
1100-H14 Sheet PVC	QQA-250/1	0.09	17.75	27.25
1100-H14 Sheet PVC	QQA-250/1	0.09	29.5	73
1100-H14 Sheet PVC	QQA-250/1	0.09	15	29.875
1100-H14 Sheet	ASTM-B209	0.12	40	48
1100-H14 Sheet	ASTM-B209	0.12	11.75	24
1100-H14 Sheet (PVC)	QQA-250/1	0.125	48	140.25
1100-H14 Sheet (PVC)	ASTM-B209	0.125	48	83.875
1100-H14 Sheet (PVC)	ASTM-B209	0.125	35.625	48
1100-H14 Sheet (PVC)	ASTM-B209	0.125	12	30.875
1100-H14 Sheet PVC	ASTM-B209 -10	0.125	47.25	48
1100-H14 Sheet PVC	QQA-250/1	0.19	48	83.75
1100-H14 Sheet	QQA-250/1	0.25	4	6.25
1100-H14 Sheet	QQA-250/1	0.25	2.25	99
1100-H14 Sheet	QQA-250/1	0.25	2	84

1100-H-14 Sheet	QQA-250/1	0.25	3	47.75
-----------------	-----------	------	---	-------

1100-H18 Sheet	QQA-250/1	0.016	12	12
----------------	-----------	-------	----	----

1100-H18/H19

1100-H-18 / 19 Sheet	QQA-250/1	0.001	6	48
----------------------	-----------	-------	---	----

1100-H-18 / 19 Sheet	QQA-250/1	0.002	6	51.75
----------------------	-----------	-------	---	-------

1100-H-18 / 19 Sheet	QQA-250/1	0.01	6	33
----------------------	-----------	------	---	----

1100-H19 Sheet

1100-H19 Sheet	QQA-250/1	0.002	12	Coil
----------------	-----------	-------	----	------

1100-H19 Sheet	QQA-250/1	0.003	12	Coil
----------------	-----------	-------	----	------

1100-H19 Sheet	QQA-250/1	0.01	12	168
----------------	-----------	------	----	-----

1100-H19 Sheet	QQ-A-250/1/ASTM-B209	0.01	12	Coil
----------------	-----------------------------	------	----	------

1100-H19 Sheet	QQ-A-250/1/ASTM-B209	0.016	12	26076
1100-H19 Sheet	QQ-A-250/1/ASTM-B209	0.02	12	20689
1100-H19 Sheet	QQ-A-250/1/ASTM-B209	0.03	12	12279
1100-H19 Sheet	QQ-A-250/1/ASTM-B209	0.03	12	5693
1100-H19 Sheet	QQ-A-250/1/ASTM-B209	0.04	12	10345

1100-H112 Plate

1100-H112 Plate	QQA-250/1	0.75	7.1875	16.625
1100-H112 Plate	QQA-250/1	0.75	5.75	11.75
1100-H112 (Deep Scratches)	ASTM B209	1	14.5	14.5

1100-H14 Plate

1100-F Rd Bar

Spec

Dia

Length

1100-F Rd. Bar Extruded	ASTM-B221-REV-05	0.5	71.75
-------------------------	------------------	-----	-------

1100-0 Rd Bar		Spec	Dia	Length
1100-0 Rd. Bar Extruded	H.T. from 1	ASTM-B221-REV-05	0.5	12
1100-0 Rd. Bar Extruded	H.T. from 1	ASTM-B221-REV-05	0.5	6

Spec	Width	Length
------	-------	--------