

13-8 All

Sheet	Spec	Thk	Width	Length
13-8 Sheet Ann. Hot Finish	AMS-5864C Chem only	0.065	5	11.75

Sheet H1000	Spec	Thk	Width	Length
13-8 Sheet Ann. H1000 Ground From .065"	AMS-5864C	0.05	12	18.75

Plate	Spec	Thk	Width	Length
13-8 Plate Ann. Hot Roll	AMS-5629F	0.27	14	15
13-8 Plate Ann. Hot Roll	AMS-5629F	0.27	5.375	32.75
13-8 Plate Ann. Hot Roll	AMS-5629F	0.395	14.75	17.25

Round Bar	Spec	Dia	Length
13-8 Ann. Rd. Bar Cond H1000	AMS-5629	0.1875	42
13-8 Ann. Rd. Bar Cond H1000	AMS-5629	0.1875	48
13-8 Ann. Rd. Bar	AMS-5629	0.25	83.5
13-8 Rd bar Ann	AMS-5629	0.26	119.5

13-8 Rd bar MO SOL	AMS-5659 TY P-1	0.4375	23
13-8 Rd Bar Cond H1050	AMS-5629E	0.5	9.5
13-8 Rd Bar Cond H1050	AMS-5629E	0.5	97
13-8 Rd Bar Cond H1050	AMS-5629E	0.5	18.875
13-8 Rd. Bar Cond-A VAR	ASTM-A484-14A/ AMS-5659S	0.75	152
13-8 Rd. Bar Cond-A VAR	ASTM-A484-14A/ AMS-5659S	0.75	153
13-8 Rd Bar Ann	AMS-5629/F	1.125	24
13-8 Rd Bar per SS408 SUPPLEMENT 2	AMS-5659 op#550 pc#10 11299/1	4	60
13-8 Rd bar Cond H1100 HRC 46-38	AMS-H-6875 rev B class D	4	4.1875
13-8 Rd Bar Ann.	AMS-5629E	5.5	19
13-8 Rd Bar Ann.	AMS-5629E	5.5	19
13-8 Rd Bar Ann. Type I Class C	AMS-5629G	12	8

Rect Bar		Spec	Thk	Width	Length
13-8 Mo	Machined from 20"dia	AMS-5629	4	6	6.5

13-8 MO UT Rec Bar	AMS 5629	2	6	31.75
13-8 MO UT Rec Bar	AMS 5629	4	6	16.75
13-8 MO UT Rec Bar	AMS 5629	4	6	17

	Spec	Thk	Width	Length
--	------	-----	-------	--------