

# 625 All

Sheet / Plate	Spec.	Thk	Width	Length
Nickel 625 Sheet Ann. 1 BA Fin 3	AMS-5599G	2	12	Coil
Nickel 625 Sheet Ann. 1 BA Fin 3	AMS-5599G	0.016	12	55.875
Nickel 625 Sheet Ann. 1 BA Fin 3	AMS-5599G	0.016	12	60
Nickel 625 Sheet C R Ann. 2D Fin 3	AMS-5599G / ASTM-B-443-00	0.05	6.5	24
Inconel 625 Sheet	AMS-5599/H	0.05	48	48
Inconel 625 Sheet	AMS-5599G/H	0.026	36	54.75
Inco 625 sheet Annealed	AMS-5599F/ASTM-B443	0.062	4.875	5.875
Inco 625 sheet Annealed C R	AMS-5599H/ASTM-B443	0.062	18.5	13.25

  

Round	Spec.	Dia	Length
625 wire	AWS-514	0.035	36
Nickel 625 Rd. Bar Ann. Grade 1	AMS-5666G / ASTM-B446-03	0.25	23.375

Nickel 625 Rd. Bar Ann. Grade 1 - Grd from .312"	AMS-5666G / ASTM-B446-03	0.25	142.5
Nickel 625 Rd. Bar Ann. Grade 1 - Grd from .312"	AMS-5666G / ASTM-B446-03	0.25	69.5
Nickel 625 Rd. Bar Ann.	AMS-5666J / ASTM-B446-03	0.25	96.375
Nickel 625 Rd. Bar Ann. Machined from .260"Dia	AMS-5666G / ASTM-B446-03	0.251	58
Inco 625 Rd. Bar Ann Bar	AMS 5666J	0.5	20.5
Inco 625 Rd. Bar Ann Bar	AMS-5666D/ASTM-B446	0.625	113
Inco 625 Rd. Bar Ann Bar	AMS-5666/ASTM-B446-03	0.625	31.5
Inco 625 Rd. Bar Ann Bar	AMS-5666/ASTM-B446-03	0.625	32
Inco 625 Rd. Bar Ann Bar	AMS-5666/ASTM-B446-03	0.625	112
Nickel 625 Rd. Bar Ann. Grade 1	AMS-5666H / ASTM-B446-03	0.75	30.875
Nickel 625 Rd. Bar Ann. Grade 1	AMS-5666H / ASTM-B446-03	0.75	34
Nickel 625 Rd. Bar Ann. Grade 1	AMS-5666J / ASTM-B446-03	0.75	10
Nickel 625 Rd. Bar Ann. Grade 1	AMS-5666G / ASTM-B446-03	1	31
Nickel 625 Rd. Bar Ann. Grade 1	AMS-5666G / ASTM-B446-03	1.5	79
Nickel 625 Rd. Bar Ann. Grade 1	AMS-5666G / ASTM-B446-03	1.5	18.875

Inco 625 Rd. Bar Grade 1	AMS-5666F/ASTM-B446-03	2	7
Inco 625 Rd. Bar Grade 1	AMS-5666F/ASTM-B446-03	2	28.25
Nickel 625 Rd. Bar Ann. Grade 1	AMS-5666G / ASTM-B446-03	3.25	22.5
Nickel 625 Rd. Bar Ann. Grade 1	AMS-5666J / ASTM-B446-03	4.5	24
Nickel 625 Rd. Bar Ann. Grade 1	AMS-5666G / ASTM-B446-03	7	1.75

Tube	Spec.	Dia	Length
------	-------	-----	--------

Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	117
Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	54.25
Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	81.125
Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	96.25
Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	79
Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	113
Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	97.75
Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	117

Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	114.5
Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	107.875
Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	116.25
Inco 625 Tube SMLS Tubing Bright Anld	AMS-5581F	0.125	0.028	111.75
Inco 625 Tube SMLS Cold Drawn F.T.S.Bright Ann.	AMS-5581F	0.25	0.028	43
Inco 625 Tube SMLS Cold Drawn F.T.S.Bright Ann.	AMS-5581F	0.25	0.035	71.75
Inco 625 Tube Seamless CL A Amend 1	AMS-5581F	0.25	0.035	47.75" 56"Lg
Inco 625 Tube Seamless CL A Amend 1	AMS-5581F	0.25	0.035	105
Inco 625 Tube Seamless CL A Amend 1	AMS-5581F	0.25	0.035	96.75
Inco 625 Tube Seamless CL A Gd. 1	AMS-5581F	0.375	0.049	77.75
Inco 625 Tube Seamless CL A Gd. 1	AMS-5581F	0.375	0.049	51
Inco 625 Tube Seamless Ann. Type 1	AMS-5581F	0.375	0.028	73.875
Inco 625 Tube Seamless Ann. Type 1	AMS-5581F	0.375	0.028	38
Inco 625 Tube Seamless Ann. Type 1	AMS-5581F	0.375	0.028	134.25
Inco 625 Tube Seamless Ann. Type 1	AMS-5581F	0.375	0.028	112
Inco 625 Tube Seamless Ann. Type 1	AMS-5581F	0.375	0.028	48
Inco 625 Tube Seamless Ann. Type 1	AMS-5581F	0.375	0.028	48.25

Inco 625 Tube C.D. Seamless bright Ann.	AMS-5581F	0.5	0.035	144
Inco 625 Tube Seamless Ann.	AMS-5581F	0.5	0.028	66.75
Inco 625 Tube Seamless Ann.	AMS-5581F	0.5	0.028	97
Inco 625 Tube Seamless Ann.	AMS-5581F	0.5	0.028	72
Inco 625 Tube Seamless Ann.	AMS-5581F	0.5	0.049	142

**Dia**

**Length**